

PASSTECH E-smart Classic PT400TR



Tootekirjeldus

Durable and Enhanced design (IP55)

- High impact polycarbonate/Metal housing & waterproof case (IP55)
- Aluminum die-casting locking mechanism Spring Latch & Deadbolt

Audit Trail function

- Up to 150 lock history events as default

Easy to fit and retrofit

- Engineered to work on all standard material doors : Metal, wood & laminate lockers and caseworks

Various programming options

- Free selection(Shared use) or assigned mode(Permanent use)
- Single user for multi lockers or multi users per single locker

Time based operation

- Automatic door opening at programmed time
- Set a time limit on the lock and/or user card

Smartphone Accessible via BLE

- Exclusive technology of RF card and smartphone synchronization
- User friendly mobile App makes lock operation convenient and simple

Applied 13.56Mhz Mifare Type A RF protocol with various type of User key media

- Card type, Wristband type, keychain type, etc. can be used

Easy integration with existing access control system of user site

- One card system

3~5 years battery life depending on the usage

- Approximately 15,000 cycles

Flexible and convenient operation

- Simple lock programming change or upgrade firmware using RF card. No other programming devices required.

Highest Security

- Unique security key by AES128 security algorithm

TOOTENIMETUS	SOODUS	HIND
Đ-Đ»ĐµĐ°Ñ,Ñ€Đ³⁄₄Đ¹⁄₂Đ¹⁄₂Ñ<Đ¹ Đ·Đ°Đ¹⁄₄Đ³⁄₄Đ° Đ`Đ»Ñ• Ñ^Đ°Đ°Ñ,,Ñ‡Đ,Đ°Đ³⁄₄Đ² E-smart Classic M PT400TR-01 (Bluetooth LE, RFID, PIN, Đ,Ñ€ÑfĐ¶Đ,Đ¹⁄₂Đ¹⁄₂Đ°Ñ• Đ·Đ°Ñ%ĐµĐ»Đ°Đ°)		0.00 €
Đ-Đ»ĐµĐ°Ñ,Ñ€Đ³⁄₄Đ¹⁄₂Đ¹⁄₂Ñ<Đ¹ Đ·Đ°Đ¹⁄₄Đ³⁄₄Đ° Đ`Đ»Ñ• Ñ^Đ°Đ°Ñ,,Ñ‡Đ,Đ°Đ³⁄₄Đ² E-smart Classic M PT400TR-02 (Bluetooth LE, RFID, PIN, Deadbolt)		0.00 €



- 01



- 02