

# YALE Doorman L3



## Tootekirjeldus

Open with code, chip or mobile. The combination of digital encryption and strong mechanics makes the lock the most secure ever. Mobile unlocking allows you to unlock and lock and monitor the lock status through a mobile application wherever you are. Automatic locking ensures that your door is always locked. The new Yale Doorman door lock is safe, convenient to use and stylish!


| TOOTENIMETUS                                                            | SOODUS | HIND     |
|-------------------------------------------------------------------------|--------|----------|
| Smart lock Yale Doorman L3 (chrome / black)                             |        | 709.13 € |
| Smart lock Yale Doorman L3 (brushed steel / black)                      |        | 709.13 € |
| Smart lock Yale Doorman L3 (black)                                      |        | 709.13 € |
| Flush strike plate ASSA 1487-1 ZN (for Evo / Doorman)                   |        | 30.26 €  |
| Flush strike plate ASSA 1487-2 ZN (for Evo / Doorman)                   |        | 24.40 €  |
| Flush strike plate ASSA 1487-3 ZN (for Evo / Doorman)                   |        | 73.20 €  |
| Flush strike plate ASSA 1487-4 ZN (for Evo / Doorman)                   |        | 36.60 €  |
| Rebated strike plate ASSA 1487-5 ZN (for Evo / Doorman)                 |        | 46.36 €  |
| Flush strike plate ABLOY LP713 Fe/Zn (for Evo / Doorman)                |        | 29.65 €  |
| Flush strike plate ABLOY LP718 / ASSA 1487-12 Fe/Zn (for Evo / Doorman) |        | 29.65 €  |











## ASSA

| Vasturaud | A    | B    | C    | D   |
|-----------|------|------|------|-----|
| 1487-1    | 40   | 13,5 |      | 200 |
| 1487-2    | 40   | 16,5 |      | 200 |
| 1487-3    | 43,5 | 20   |      | 200 |
| 1487-4    | 45   | 21,5 |      | 200 |
| 1487-5    | 29,5 | 5,5  | 29,5 | 200 |

## ABLOY

| Vasturaud               | A    | B    | C    | D   |
|-------------------------|------|------|------|-----|
| LP713 <sup>(1)</sup>    | 40   | 12,5 |      | 200 |
| LP718 <sup>(1)</sup>    | 43   | 17   |      | 200 |
| LP719 <sup>(1)(2)</sup> | 44,5 | 18,5 |      | 200 |
| LP723 <sup>(1)(2)</sup> | 40   | 13,5 | 26,5 | 200 |

<sup>(1)</sup> Vasturaud on reguleeritav <sup>(2)</sup> Tootmine lõpetatud

### Vasturaudade mõõdud

A - laius

B - ava(de) kaugus servast

C - nurgataguse külje laius

D - pikkus